



### 3005020019

**ETB-100** 

Central, Panel Mounted This product has been replaced by Phontech CIS Talk-Back System

This product will be replaced by the equivalent Phontech solution, but Zenitel will honor prior commitments given to the market. Therefore, we will continue to provide expansion and spare-part service for this product.

## Description

- Master station with 10 lines selection
- ✓ 100V line output
- External all call (ETB-100A)
- ⊘ All Call facility
- Monitor-speaker / microphone
- ⊘ Connector for gooseneck or handheld microphone
- Dimable back light
- ✓ Line buttons with on light
- Buzzer indication of incoming calls
- Step volume control
- 🕗 Call signal
- ⊘ Output for extra signal device all lines
- ⊘ 24V DC power supply


# **Technical Dimensions**

#### www.zenitel.com

#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.



page 2/3

#### www.zenitel.com

#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.

# Specifications

#### GENERAL

Material / finish	Aluminium / black
Mounting	Flush with 4 x 4 mm screws
Terminals	Plugable screw terminals for cable max. 2.5 mm2
Cable gland	6 x PG-16
IP rating	IP-22
Dimension (mm)	240W x 144H x 130D (with glands)
Cut out dimension	224 x 132 mm
Weight	Approx. 1.8 kg
Microphone input	Contact for handheld and gooseneck microphone
0dB input / switch	For external All Call (ETB-100A)
Switches	Push button type with LED indication
Power supply	24 - 32 VDC
Max. current consumption	2A
Output power	30 W RMS
Frequency range	200 Hz - 8 KHz (-3 dB)
Temperature operating	-15 to +55 °C

# Accessories



WBOKS

Wall Mounted Backbox for ETB-5/10 and CTB-10/20 This product has been replaced by Phontech CIS Talk-Back System



ETC-1-TB

Hand Microphone



MB-30G

Gooseneck Microphone

#### www.zenitel.com

#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

ZENITEL PROPRIETARY. This document and its supplementing elements, contain Zenitel or third party information which is proprietary and confidential. Any disclosure, copying, distribution or use is prohibited, if not otherwise explicitly agreed in writing with Zenitel. Any authorized reproduction, in part or in whole, must include this legend; Zenitel – All rights reserved.