

PRODUCT-DETAILS

# PM5032-T-ETH

Processor module. Memory 2MB. 12 DI 24VDC. 8 DO 24VDC 0.5A. 2 DC 24VDC. Ethernet interface. 2 option slots (PM5032-T-ETH)



## General Information

Extended Product Type	PM5032-T-ETH
Product ID	1SAP123400R0072
ABB Type Designation	PM5032-T-ETH
EAN	4013614551697
Catalog Description	Processor module. Memory 2MB. 12 DI 24VDC. 8 DO 24VDC 0.5A. 2 DC 24VDC. Ethernet interface. 2 option slots (PM5032-T-ETH)
Long Description	PM5032-T-ETH: AC500-eCo Processor module. Memory 2MB. 12 DI 24VDC. 8 DO 24VDC 0.5A. 2 DC 24VDC. Ethernet interface. 2 option slots.

## Ordering

CN8	85371091
Invoice Description	Processor module. Memory 2MB. 12 DI 24VDC. 8 DO 24VDC 0.5A. 2 DC 24VDC. Ethernet interface. 2 option slots (PM5032-T-ETH)
Made To Order	No
Minimum Order Quantity	1 piece
Order Multiple	1 piece
Selling Unit of Measure	piece

---

## Dimensions

Product Net Weight	0.253 kg
Product Net Depth / Length	74 mm
Product Net Height	135 mm
Product Net Width	82 mm
Gross Weight	0.295 kg
Package Level 1 Depth / Length	100 mm
Package Level 1 Height	95 mm
Package Level 1 Width	175 mm
Package Level 1 Units	1 carton

---

## Technical

Function	Memory 2MB. 12 DI 24VDC. 8 DO 24VDC 0.5A. 2 DC 24VDC. Ethernet interface. 2 option slots
Number of Hardware Interfaces	Industrial Ethernet 1 Other 0 Parallel 0 RS-232 0 RS-422 0 RS-485 0 Serial TTY 0 USB 0 Wireless 0
Memory Size	5032 kB
Memory Type User Data	RAM
Controller Processing Time	0.00002 ms
Number of Digital Inputs	12
Number of Digital Outputs	8
Number of Digital Configurable I/Os	2
Input Voltage Type	DC
Output Voltage ( $U_{out}$ )	24 V DC
Output Current	0.5 A
Degree of Protection	IP20
Rated Voltage ( $U_r$ )	24 V DC
Supply Voltage	20.4 ... 28.8 V DC

---

## Additional Information

Product Main Type	PM5032
Product Name	Distributed Automation PLCs

---

---

## Classifications

---

eClass	27-24-22-07
ETIM 8	EC000236 - PLC CPU-module
UNSPSC	32151705

---



---

## Environmental

---

SCIP	eb7b375f-d099-43e2-9a4d-bb48577c0e9b Germany (DE)
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---



---

## Where Used (as part of "kit")

---

Identifier	Description	Type
1SAP187600R0002	Starter kit. AC500-eCo V3: CPU PM5032-T-ETH, Simulator (TA5415-STAKIT)	Kit

---



---

## Categories

---

PLC Automation → Programmable Logic Controllers PLCs → AC500-eCo → CPUs

