



3006090578

# **MBOKS-G**


VSP Batteryless Telephone System

On-wall box with rubber gasket designed for stations in VSP systems

## Description

The new and improved on wall box with rubber gasket designed for use with VSP stations to offer IP-44 rating.

### **Technical Dimensions**



page 2/4

# Specifications



page 3/4

#### info@zenitel.com

Zenitel and its subsidiaries assume no responsibility for any errors that may appear in this publication, or for damages arising from the information therein. Zenitel products are developed and marketed by Zenitel. The company's Quality Assurance System is certified to meet the requirements in NS-EN ISO 9001. Zenitel reserves the right to modify designs and alter specifications without notice.

#### **GENERAL**

Color	Black
Material	Epoxy covered metal
Dimensions (WXHXD)	244 x 136 x 76 mm
Weight	1.0 kg
Mounting hole	Ø 5.5 mm
IP-rating	IP-44 (Together with VSP telephone)

### **Used With**



VSP-211-L

Main Station - Batteryless Telephone System - 12-Way



VSP-213-L

Main Station - Batteryless Telephone System - 12-Way



VSP-223-L

Main Station - Batteryless Telephone System - 12-Way



VSP-211M-L

Main Station - Batteryless Telephone System 20-Way



VSP-212M-L

Main Station Panel Mounted with Relay 20-Way



VSP-213M-L

Main Station - Batteryless Telephone System - 20-Way